

Package ‘shinyseo’

May 9, 2026

Type Package

Title Search Engine Optimization and Social Metadata Helpers for 'Shiny' Apps

Version 0.1.0

Author Rolf Lindgren [aut, cre]

Maintainer Rolf Lindgren <rolf@grendel.no>

Description Utilities for injecting search engine optimization (SEO), Open Graph, Twitter, and schema.org metadata into 'Shiny' applications from YAML files or named lists.

License GPL (>= 3)

Encoding UTF-8

Imports shiny, yaml, jsonlite

Suggests htmltools, knitr, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/testthat/edition 3

RoxygenNote 7.3.3

NeedsCompilation no

Repository CRAN

Date/Publication 2026-04-29 19:10:03 UTC

Contents

social_meta	2
Index	3

`social_meta`*Inject social metadata into Shiny UI*

Description

Inject social metadata into Shiny UI

Usage

```
social_meta(meta)
```

Arguments

`meta` Either a path to a YAML file or a named list. The final metadata must include `title`, `description`, `url`, and `image`.

Details

If `meta` is a character string, it is treated as a YAML file path and read with `yaml::read_yaml()`. Set `schema = FALSE` to suppress JSON-LD output. Optional verification fields include `bing_site_verification` and `google_site_verification`.

Value

A `shiny::tags$head()` fragment containing canonical, Open Graph, Twitter Card, and optional schema.org metadata.

Index

social_meta, [2](#)