

*OC API Documentation : 5 - Events - version 1.4.0*

## *Entry System 3 / Invitation System API Documentation : OC - Events*

Version API concerned : 1.4.0

### History Changes

| Date       | Revision | Who | What              |
|------------|----------|-----|-------------------|
| 30.01.2019 | 1.0.0    | RMG | Document creation |
|            |          |     |                   |
|            |          |     |                   |
|            |          |     |                   |

## *OC API Documentation : 5 - Events - version 1.4.0*

|   |          |
|---|----------|
| <b>Introduction</b>   | <b>3</b> |
| <b>Endpoints</b>  | <b>4</b> |
| Ev1 - Returns all events (GET)  | 4        |
| Ev2 - Returns an event (GET)  | 7        |
| Ev3 - Gets entry actions for a specific event (GET)                     | 9        |
| Ev4 - Returns logs for a specific event (GET)                           | 11       |
| Ev5 - Returns an event list in CSV (GET)                                | 13       |
| Ev6 - Gets all riders under 18 years old for the a specific event (GET) | 16       |
| Ev7 - Gets the master list for a specific event (GET)                   | 18       |

## I. Introduction

The aim of this document is to provide the basic knowledge to the developers working at or for a National Federation in order to use the Entry System 3 API (ES3 API).

The ES3 API is provided to automate the management of entries between the NFs' IT system and the FEI's Entry System.

This document gathers all endpoints concerning event elements.

We strongly recommend to first read the document "1 - Base" explaining default ES3 API principles.

The input objects are described in "8 - Input objects" documentation and the output objects are described in "9 - Output objects".

## II. Endpoints

### *Ev1 - Returns all events (GET)*

#### Main information

|                                |   |
|--------------------------------|---|
| <b>Method</b>                  | GET   |
| <b>Path</b>                    | /user/events  |
| <b>Client Access</b>           | All API Clients   |
| <b>User access</b>             | All users   |
| <b>HTTP code if successful</b> | 200   |
| <b>Description</b>             | Return list of events. A valid API Token is required.<br><br>Cancelled or not opened for entries Events are not returned. Events for ES2 are returned with ES2 flags. |
| <b>Returned Data</b>           | Array of "EntryEvent" object. Array may be empty.   |

#### Parameters

| Name           | Type    | Required | Description  |
|----------------|---------|----------|--|
| page           | Integer | No       | Page number. Default is 1.   |
| items_per_page | Integer | No       | Items returned per page. Accepted values: 1 to 1000. Default is 10.  |
| sort           | String  | No       | Array sort. Default is date_start.<br><br>Possible values : <ul style="list-style-type: none"> <li>• date_start</li> <li>• show_code</li> <li>• event_code</li> <li>• date_end</li> </ul> Use '-' character before sort value to set reverse sort.Ex<br>"sort=-date_start" |

OC API Documentation : 5 - Events - version 1.4.0

|                |                   |    |   |
|----------------|-------------------|----|---|
| venue          | String            | No | Venue name (contains)   |
| country        | String            | No | Country of event. Code noc.   |
| discipline     | String            | No | <p>All / Discipline Code. Default is "All".</p> <p>Possible values :</p> <ul style="list-style-type: none"> <li>• <b>S</b> : Jumping</li> <li>• <b>E</b> : Endurance</li> <li>• <b>D</b> : Dressage</li> <li>• <b>A</b> : Driving</li> <li>• <b>C</b> : Eventing</li> <li>• <b>All</b> : All disciplines</li> </ul> <p><b>Note: only jumping for now.</b></p> |
| entries_for_nf | String            | No | NF Code. Entries from NF.   |
| from           | String            | No | <p>Date. Format is "YYYY-MM-DD".</p> <p>Required if "my_events" parameters is not set.</p>  |
| to             | String            | No | <p>Date. Format is "YYYY-MM-DD".</p> <p>Required if "my_events" parameters is not set.</p>  |
| period         | String            | No | all / entries / late_entries / waiting / event / results. Default = all   |
| athlete_fei_id | String            | No | Athlete's FEI ID  |
| athlete_name   | String            | No | Athlete's name  |
| horse_fei_id   | String            | No | Horse's FEI ID  |
| horse_name     | String            | No | Horse's name  |
| my_events      | Integer (Boolean) | No | <p>Return all events (not only 'mine'). Default is true for OC and Athletes, false for NF. This filter is not active for FEI users.</p> <p>Required if "from/to" parameters is not set</p>  |
| filter_entries | Integer (Boolean) | No | Default is false. Allow filters on Athletes or Horse to return directly entries in results.   |

## OC API Documentation : 5 - Events - version 1.4.0

|                  |                   |    |  |
|------------------|-------------------|----|--|
| shows_per_page   | Integer           | No | Replace "items_per_page" parameter. Use it if you wish to get a show paginated response. You will always receive EntryEvent object but for the number of given shows.<br><br>Ex: If you wish 10 shows per page, you could receive 16 results are their are multiple events per show. |
| event_type_codes | String            | No | A string which contains one or more event_type_code separated with ,   |
| closing_soon     | Integer (Boolean) | No | A boolean parameter to get only closing soon events.   |
| my_entries       | Integer (Boolean) | No | A boolean parameter to get only events which contain user entries.   |
| event_code       | String            | No | Specific event   |
| show_code        | String            | No | Search events from a specific show   |

### Headers

Common headers, Pagination headers from documentation "1 - Base"

### Errors

| HTTP Code | Code            | Message  |
|-----------|-----------------|--|
| 400       | BAD_REQUEST     | Invalid Parameter  |
| 400       | BAD_REQUEST     | Parameter 'shows_per_page' value must be between 1 and 1000.             |
| 400       | BAD_REQUEST     | Missing parameters. Expected at least one of these from/to or my_events. |
| 400       | BAD_REQUEST     | Event type code not found.   |
| 401       | BAD_CREDENTIALS | Bad credentials  |
| 401       | TOKEN_NOT_FOUND | The bearer token is missing from the headers                             |
| 401       | TOKEN_NOT_VALID | The bearer token is not valid  |

## OC API Documentation : 5 - Events - version 1.4.0

|     |                    |  |
|-----|--------------------|--|
| 405 | METHOD_NOT_ALLOWED | No route found for '[route_name]': Method Not Allowed (Allow: '[method accepted]') |
|-----|--------------------|--|

**Ev2 - Returns an event (GET)**
Main information

|                                |   |
|--------------------------------|---|
| <b>Method</b>                  | GET   |
| <b>Path</b>                    | /user/events/{event_code}   |
| <b>Client Access</b>           | All API Clients   |
| <b>User access</b>             | All users   |
| <b>HTTP code if successful</b> | 200   |
| <b>Description</b>             | <p>Returns details of an event for session user. A valid API Token is required.</p> <p>Cancelled or not opened for entries Events are not returned.</p> <p>Athlete session users can only request data for an event in which they are entered.</p> <p>Events statistics are returned for OC (all NFs) and NF's session users (own NF)</p> |
| <b>Returned Data</b>           | "EntryEvent" object   |

URL Parameters

| Name       | Type   | Required | Description                            |
|------------|--------|----------|--|
| event_code | String | Yes      | URL parameter. Event Code to retrieve. |

Headers

Common headers from documentation "1 - Base"

*OC API Documentation : 5 - Events - version 1.4.0*Errors

| HTTP Code | Code               | Message  |
|-----------|--------------------|--|
| 400       | BAD_REQUEST        | Invalid Parameter  |
| 401       | BAD_CREDENTIALS    | Bad credentials  |
| 401       | TOKEN_NOT_FOUND    | The bearer token is missing from headers   |
| 401       | TOKEN_NOT_VALID    | The bearer token is not valid  |
| 404       | EVENT_NOT_FOUND    | Event not found  |
| 405       | METHOD_NOT_ALLOWED | No route found for '[route_name]': Method Not Allowed (Allow: '[method accepted]') |

**Example** : see doc "0 - Example" with same subtitle section.



**Ev3 - Gets entry actions for a specific event (GET)**Main information

|                                |  |
|--------------------------------|--|
| <b>Method</b>                  | GET  |
| <b>Path</b>                    | /user/events/{event_code}/authorizations   |
| <b>Client Access</b>           | All API Clients  |
| <b>User access</b>             | All users  |
| <b>HTTP code if successful</b> | 200  |
| <b>Description</b>             | Returns the entry actions connected user can perform depending on his permissions in according to the current event. |
| <b>Returned Data</b>           | Array of Entry action codes (String)   |

URL Parameters

| Name       | Type   | Required | Description                            |
|------------|--------|----------|--|
| event_code | String | Yes      | URL parameter. Event Code to retrieve. |

Headers

Common headers from documentation "1 - Base"

*OC API Documentation : 5 - Events - version 1.4.0*Errors

| HTTP Code | Code               | Message  |
|-----------|--------------------|--|
| 401       | BAD_CREDENTIALS    | Bad credentials  |
| 401       | TOKEN_NOT_FOUND    | The bearer token is missing from the headers                                       |
| 401       | TOKEN_NOT_VALID    | The bearer token is not valid  |
| 403       | ACCESS_DENIED      | The current user is not allowed to reach this route.                               |
| 405       | METHOD_NOT_ALLOWED | No route found for '[route_name]': Method Not Allowed (Allow: '[method accepted]') |

## Ev4 - Returns logs for a specific event (GET)

### Main information

|                                |  |
|--------------------------------|--|
| <b>Method</b>                  | GET  |
| <b>Path</b>                    | /user/events/{event_id}/logs   |
| <b>Client Access</b>           | All API Clients  |
| <b>User access</b>             | All users  |
| <b>HTTP code if successful</b> | 200  |
| <b>Description</b>             | <p>Return event logs for current session user. A valid API Token is required.</p> <p>Athletes can view the logs of only their entries. NF can view only their entries (entering NF). OC and FEI can see all logs.</p> <p>Log levels should be respected.</p> |
| <b>Returned Data</b>           | Array of EntryLog elements OR CSV logs file, OR PDF logs file.   |

### URL parameters

| Name     | Type   | Required | Description    |
|----------|--------|----------|----------------|
| event_id | String | No       | The event code |

### Parameters

| Name           | Type    | Required | Description                               |
|----------------|---------|----------|---|
| athlete_fei_id | Integer | No       | Athlete Fei id for filter (contains)      |
| horse_fei_id   | String  | No       | Horse fei id for filter. (contains)       |
| date_from      | String  | No       | Format YYYY-MM-DD (Greater than or equal) |
| date_to        | String  | No       | Format YYYY-MM-DD (Less than or equal)    |

*OC API Documentation : 5 - Events - version 1.4.0*Headers

Common headers from documentation “1 - Base”

Errors

| HTTP Code | Code                | Message   |
|-----------|---------------------|---|
| 400       | BAD_REQUEST         | Bad request. Missing mandatory parameters.      |
| 403       | USER_NOT_AUTHORISED | Access not authorised for session user ‘fei_id’ |
| 403       | ACCESS_DENIED       | Insufficient privileges                         |
| 404       | EVENT_NOT_FOUND     | Event not found                                 |
| 405       | METHOD_NOT_ALLOWED  | Method is not allowed                           |

## Ev5 - Returns an event list in CSV (GET)

### Main information

|                                |   |
|--------------------------------|---|
| <b>Method</b>                  | GET   |
| <b>Path</b>                    | /user/events/list   |
| <b>Client Access</b>           | All API Clients   |
| <b>User access</b>             | NF, FEI, OC sessions users.   |
| <b>HTTP code if successful</b> | 200   |
| <b>Description</b>             | Returns the list of all events for session user. A valid API Token is required.<br>Some filters are applied to refine (same as /user/events route).<br>You can download XSD file at /download-entries-xsd |
| <b>Returned Data</b>           | CSV file (see file description below)   |

### Parameters

| Name           | Type    | Required | Description   |
|----------------|---------|----------|---|
| Items_per_page | Integer | No       | Items return per page. Default is 10. Maximum is 1000   |
| sort           | String  | No       | Array sort. Default is date_startPossible values : <ul style="list-style-type: none"> <li>• date_start</li> <li>• event_code</li> <li>• date_end</li> </ul> Use '-' character before sort value to set reverse sort.Ex "sort=-date_start" |
| page           | Integer | No       | Page number. Default is 1   |
| venue          | String  | No       | Venue name (contains)   |
| country        | String  | No       | Country of event. Code noc.   |

## OC API Documentation : 5 - Events - version 1.4.0

|                    |                   |    |   |
|--------------------|-------------------|----|---|
| discipline         | String            | No | All / Discipline Code. Default is "All".Possible values : <ul style="list-style-type: none"> <li>• <b>S</b> : Jumping</li> <li>• <b>E</b> : Endurance</li> <li>• <b>D</b> : Dressage</li> <li>• <b>A</b> : Driving</li> <li>• <b>C</b> : Eventing</li> <li>• <b>All</b> : All disciplines</li> </ul> <b>Note: only jumping for now.</b> |
| entries_for_nf     | String            | No | NF Code. Entries from NF.   |
| from               | String            | No | Date. Format is "YYYY-MM-DD".   |
| to                 | String            | No | Date. Format is "YYYY-MM-DD".   |
| period             | String            | No | All / Entries / Late Entries / Waiting / Event / Results<br>Default = All   |
| athlete_fei_id     | String            | No | Athlete's FEI ID  |
| athlete_name       | String            | No | Athlete's name  |
| horse_fei_id       | String            | No | Horse's FEI ID  |
| horse_name         | String            | No | Horse's name  |
| my_events          | Integer (Boolean) | No | Only for OC. Return all events (not only 'mine').<br>Default is true.   |
| csv_delimiter_code | String            | No | Default is comma. Values: comma, semi-colon, tabulation, pipe, caret.   |

### Headers

Common headers from documentation "1 - Base". Accept header is "text/csv".

## OC API Documentation : 5 - Events - version 1.4.0

### File data structure

CSV File columns are : (respect case and order)

- 'Venue Name',
- 'Country',
- 'Event Code',
- 'From',
- 'To',
- 'Period',
- 'Athletes',
- 'Horses'

### Errors

| HTTP Code | Code                | Message   |
|-----------|---------------------|---|
| 400       | BAD_REQUEST         | Bad request. Missing mandatory parameters.      |
| 403       | USER_NOT_AUTHORISED | Access not authorised for session user 'fei_id' |
| 403       | ACCESS_DENIED       | Insufficient privileges                         |
| 404       | EVENT_NOT_FOUND     | Event not found                                 |
| 404       | DOC_NOT_AVAILABLE   | Document not available                          |
| 405       | METHOD_NOT_ALLOWED  | Method is not allowed                           |
| 406       | NOT_ACCEPTABLE      | Not Acceptable                                  |

## OC API Documentation : 5 - Events - version 1.4.0

**Ev6 - Gets all riders under 18 years old for the a specific event (GET)**Main information

|                                |   |
|--------------------------------|---|
| <b>Method</b>                  | GET   |
| <b>Path</b>                    | /user/events/{event_id}/documents/young_riders                                    |
| <b>Client Access</b>           | All API Clients   |
| <b>User access</b>             | NF, FEI, OC sessions users.   |
| <b>HTTP code if successful</b> | 200   |
| <b>Description</b>             | Returns the list of all riders under 18 years old. A valid API Token is required. |
| <b>Returned Data</b>           | Pdf file  |

Url parameters

| Name     | Type    | Required | Description                            |
|----------|---------|----------|--|
| event_id | Integer | Yes      | URL parameter. Event Code to retrieve. |

Headers

Common headers from documentation "1 - Base"



*OC API Documentation : 5 - Events - version 1.4.0*Errors

| HTTP Code | Code                | Message   |
|-----------|---------------------|---|
| 400       | BAD_REQUEST         | Bad request. Missing mandatory parameters.      |
| 403       | USER_NOT_AUTHORISED | Access not authorised for session user 'fei_id' |
| 403       | ACCESS_DENIED       | Insufficient privileges                         |
| 404       | EVENT_NOT_FOUND     | Event not found                                 |
| 404       | DOC_NOT_AVAILABLE   | Document not available                          |
| 405       | METHOD_NOT_ALLOWED  | Method is not allowed                           |

OC API Documentation : 5 - Events - version 1.4.0

### Ev7 - Gets the master list for a specific event (GET)

#### Main information

|                                |  |
|--------------------------------|--|
| <b>Method</b>                  | GET  |
| <b>Path</b>                    | /user/events/{event_id}/documents/masterlist   |
| <b>Client Access</b>           | All API Clients  |
| <b>User access</b>             | NF, FEI, OC sessions users.  |
| <b>HTTP code if successful</b> | 200  |
| <b>Description</b>             | Return the master list of this event. A valid API Token is required.<br><br>All athletes and horses entered are listed (Also include borrowed horses, and Y-horses entries). |
| <b>Returned Data</b>           | Pdf file   |

#### Url parameters

| Name     | Type    | Required | Description                            |
|----------|---------|----------|--|
| event_id | Integer | Yes      | URL parameter. Event Code to retrieve. |

#### Headers

Common headers from documentation "1 - Base"

*OC API Documentation : 5 - Events - version 1.4.0*Errors

| HTTP Code | Code                | Message   |
|-----------|---------------------|---|
| 400       | BAD_REQUEST         | Bad request. Missing mandatory parameters.      |
| 403       | USER_NOT_AUTHORISED | Access not authorised for session user 'fei_id' |
| 403       | ACCESS_DENIED       | Insufficient privileges                         |
| 404       | EVENT_NOT_FOUND     | Event not found                                 |
| 404       | DOC_NOT_AVAILABLE   | Document not available                          |
| 405       | METHOD_NOT_ALLOWED  | Method is not allowed                           |