

Entry System 3 / Invitation System API Documentation : OC - Output Objects

Version API concerned : 1.12.5

History Changes

Date	Revision	Who	What
30.01.2019	1.0.0	RMG	Document creation
27.03.2019	1.0.1	SCO	Entry Actions and statuses
02.04.2019	1.0.2	RMG	Updated event object.
11.06.2019	1.0.3	LEN	Update entered_on_another_show infos
16.09.2019	1.0.4	GFN	Update athlete and horse (add entered_other_show_entry_status)
27.09.2019	1.0.5	YRC	Updated EntryLog (add is_slot)
13.01.2020	1.0.6	RMG	Updated for Invitation System 2.1
05.03.2020	1.0.7	LBR	Updated Horse and SearchHorse, added entered_other_show_noc
21.04.2020	1.0.8	YRC	Updated discipline_team_min, and discipline_team_max : property can be NULL
29.04.2020	1.0.9	YRC	<ul style="list-style-type: none"> • Event: added venue_complement • EntryEvent: added venue_complement • Show: added venue_complement • Athlete: added accepted_other_show_venue_complement and entered_other_show_venue_complement

OC API Documentation : 9 - Output objects - version 1.8.20

05.05.2020	1.0.10	YRC	<ul style="list-style-type: none"> • EntryAthlete: added entered_on_another_show_venue_complement • Horse: added accepted_other_show_venue_complement and entered_other_show_venue_complement
02.06.2020	1.0.23	RMG	<ul style="list-style-type: none"> • Added 'event_badge' and 'is_unlimited' properties to objects: <ul style="list-style-type: none"> ◦ Event ◦ EntryEvent • Added property 'allowWishesAthlete' to 'EntryEvent' object
22.06.2020	1.0.24	RMG	<ul style="list-style-type: none"> • Added ViewInvaiton • Added properties to Athlete object • Added properties to HorseSuggestion object
07.09.2020	1.0.25	RMG	Changes involved by Unlimited Quotas <ul style="list-style-type: none"> • Added properties to Event object
20.01.2021	1.0.26	YRC RMG	EntryEvent: Added event_code_complement Update Invitation object.

OC API Documentation : 9 - Output objects - version 1.8.20

Introduction	5
Output objects	6
Week	6
Event	6
EntryEvent	9
EventParameter	11
Statistic	12
NFStatistic	14
AthleteStatistic	14
Ranking	14
Athlete	14
SearchAthlete	16
Horse	17
SearchHorse	19
Invitation	20
ViewInvitation	21
HorseSuggestion/HorseSlot	22
Country	22
Competition	23
Show	23
ShowStatistic	24
EventStatistic	25
Entry	27
EntryAthlete	27
EntryHorse	29
Trainer	31
EntryAction	31
EntryStatus	31
TransitBox	31
EntryTeam	32
EntryLog	33
Nf	34
Tour	34
Subtour	35
TourShow	35

OC API Documentation : 9 - Output objects - version 1.8.20

Entry Statuses	36
Entry Actions	38

I. Introduction

The aim of this document is to provide the basic knowledge to the developers working at or for a National Federation in order to use the Entry System 3 API (ES3 API).

The ES3 API is provided to automate the management of entries between the NFs' IT system and the FEI's Entry System.

This document summarizes all the objects returned by the ES3 API according to the endpoints.

II. Output objects

Week

Property	Type	Description
week	Integer	Week number
date_start	Integer	Week date start
date_end	Invitation	Week date end
ranking	Array of "Ranking" objects	Rankings
nb_pending_invitation	Integer	Number of pending invitations concerning the logged user (only available on "I1" endpoint)

Event

Property	Type	Description
show_code	String	Show Code
show_date_start	Datetime	Show date start
show_date_end	Datetime	Show date end
show_type_code	String	Show type code
show_type_name	String	Show type name
venue_name	String	Venue name
event_date_start	Datetime	Event date start (if null, show_date_start)
event_date_end	Datetime	Event date end (if null, show_date_end)
closing_date	Datetime	Closing date of event

OC API Documentation : 9 - Output objects - version 1.8.20

open_for_entries_es2	Boolean	Event open for entries in ES2
open_for_entries	Boolean	Event open for entries
open_for_is	Boolean	Event open for Invitation System
week	"Week" object	Related week (only following properties are returned: "week", "date_start" and "date_end")
event_parameter	"EventParameter" object	Event Parameter
ranking	"Ranking" object	Related ranking
event_code	String	Event code
event_code_complement	String	Event code complement
discipline_code	String	Discipline code
discipline_name	String	Discipline name
discipline_team_min	Integer	NULL or min. athletes per team
discipline_team_max	Integer	NULL or max. athletes per team
venue_date_timezone	String	Venue timezone
host_nf_name	String	Host NF name
host_nf_noc	String	Host NF code NOC
host_nf_country	String	Host NF country
host_nf_email	String	Host NF email
indoor	Boolean	true if the event is an indoor event
has_team_competitions	Boolean	true if the event takes place with teams
category_code	String	Event category code

OC API Documentation : 9 - Output objects - version 1.8.20

category	String	Event category name
current_period	String	Event period (open, waiting, event, results, substitution, definite, nominated, late entries)
borrowed_horses	Boolean	true when NF can request entry horse of type borrowed horses
athlete_photo_required	Boolean	true if a photo is required for each athlete
statistics	"Statistic" object	Event statistics. Returned for routes on one event only. Events statistics are returned for OC (all NFs) and NF's session users (own NF).
max_horses_per_athlete	Integer	Maximum of horses per athlete
is_nf_delegated_rights_allowed_for_oc	Boolean	true if the OC can has the delegated rights on this event
sub_tour_uid	Integer	The unique identifier of the sub tour
sub_tour_name	String	The name of the sub tour
sub_tour_description	String	The description of the sub tour
tour_name	String	The name of the tour
tour_code	String	The unique code of the tour
ranking_week_info	RankingWeekInfo object	RankingWeekInfo object related to the event
is_open	Boolean	True if the event is open for Entry System.
venue_complement	String	The name of the show
is_unlimited	Boolean	True if the event has unlimited quota
event_badge	String	<ul style="list-style-type: none"> • 'is' for Invitation System event • 'ul' for Unlimited event

OC API Documentation : 9 - Output objects - version 1.8.20

		<ul style="list-style-type: none"> 'se' for Standard Event
allow_wishes_athlete	Boolean	True if the event allows choices for athlete
event_code_complement	String	The event code complement.

EntryEvent

Property	Type	Description
event_code	String	Event code
event_date_start	Datetime	Event date start, Show date start if null
event_date_end	Datetime	Event date end, Show date end if null
show_code	String	Show code
show_date_start	Datetime	Show date start
show_date_end	Datetime	Show date end
show_type_code	String	Show type Code
show_type_name	String	Show type name
venue_name	String	Venue name
venue_timezone	String	Venue timezone
discipline_code	String	Discipline code
discipline_name	String	Category of event
category_name	String	Category name of event (ex: "Senior Riders")
category_code	String	Category code of event (ex: "S")
closing_date	String	Closing date of event

OC API Documentation : 9 - Output objects - version 1.8.20

current_period	String	Current period (open, waiting, event, results, substitution, definite, nominated, late entries)
current_period_key	String	Current period string in lower and snake case
host_nf_noc	String	Host NF Noc code
host_nf_name	String	Host NF name
host_nf_country	Integer	Host NF Country
has_team_competitions	Boolean	Event has team competitions. Used only on entries
open_for_entries	Boolean	Event is open for entries (should always be true)
open_for_entries_es2	Boolean	Event is open for entries in ES2
borrowed_horses	Boolean	Borrowed horses allowed for this event. Used only on entries
athlete_photo_required	Boolean	Event requires photo for athletes. Used only on entries
filtered_entries	Array of Entry	Array of entries corresponding to Athlete or Horse filter
statistics	Statistic	Event statistics. Returned for routes on one event only. (:event_id routes) Events statistics are returned for OC (all NFs) and NF's session users (own NF)
tour_code	String	Code of the concerned tour, if exists. Used only on events
tour_name	String	Name of the concerned tour, if exists. Used only on events
event_type_code	String	Code type of the event. (ex: "CSI2*").
invitation_date_start	String	Invitation date start.
max_athletes	Integer	Maximum number of athletes for the event.

OC API Documentation : 9 - Output objects - version 1.8.20

max_horses	Integer	Maximum number of horses for the event.
open_for_is	Boolean	Is the event open for Invitation System.
has_access	Boolean	Does the current user have access to manage the event.
current_period_end_date	Datetime	The end date of the current entry period.
venue_complement	String	The name of the show
is_unlimited	Boolean	True if the event has unlimited quota
allow_wishes_athlete	Boolean	True if the event allows athlete choices
event_badge	String	<ul style="list-style-type: none"> • 'is' for Invitation System event • 'ul' for Unlimited event • 'se' for Standard Event
event_code_complement	String	Code complement of event

EventParameter

Property	Type	Description
rider_age_min	Integer	Athlete's minimum age required
rider_age_max	Integer	Athlete's maximum age required
horse_age_min	Integer	Horse minimum age required
horse_age_max	Integer	Horse maximum age required
horse_pony	String	"P" => Pony, "H" => Horse, "HP" => Horse and Pony
minimum_horses	Integer	Minimum number of horses
qualification_level	String	Qualification level needed
event_level	String	Event level

Statistic

Property	Type	Description
countries	Integer	Number of countries
nf_statistics	Array of "NFStatistic"	Statistics for NFs. For OC, this includes all NF Stats.
foreign_athlete	Integer	Number of foreign athletes. For OC.
foreign_horses	Integer	Number of foreign horses. For OC.
home_athletes	Integer	Number of home athletes. For OC.
home_horses	Integer	Number of home horses. For OC.
total_accepted_athletes	Integer	Number of accepted athletes.
total_waiting_athletes	Integer	Number of athletes in waiting.
total_accepted_horses	Integer	Number of accepted horses.
total_waiting_horses	Integer	Number of horses in waiting.
total_entries	Integer	Number of entries. For OC.
event	String	Event code.
max_athletes	Integer	Max athletes for event.
max_horses	Integer	Max horses for event.
total_athletes	Integer	Total unique athletes on event.
total_horses	Integer	Total unique horses on event.
total_accepted_athletes_is_home	Integer	Quota Home accepted athletes. (Invitation System)
total_accepted_athletes_is_ranking	Integer	Quota Ranking accepted athletes. (Invitation System)

OC API Documentation : 9 - Output objects - version 1.8.20

total_accepted_athletes_is _oc	Integer	Quota OC accepted athletes. (Invitation System)
-----------------------------------	---------	---

OC API Documentation : 9 - Output objects - version 1.8.20

NFStatistic

Property	Type	Description
nf_noc	String	NF code
athletes_entered	Integer	Entered Athletes count
athletes_waiting	Integer	Waiting Athletes count
horses_entered	Integer	Entered Horses count
horses_waiting	Integer	Waiting Horses count

AthleteStatistic

Property	Type	Description
horse_entered	Integer	Entered horse count
horse_waiting	Integer	Waiting horse count

Ranking

Property	Type	Description
ranking_uid	Integer	Ranking UID
ranking_number	Integer	Ranking number
ranking_parameter_code	String	Ranking parameter code
ranking_parameter_label	String	Ranking parameter label
ranking_valid_date	Datetime	Validity date

OC API Documentation : 9 - Output objects - version 1.8.20

Athlete

Property	Type	Description
athlete_fei_id	Integer	Athlete FEI ID
familyname	String	Family name
firstname	String	First name
gender_code	String	Gender code (M,F)
date_birth	Date	Date of birth
date_death	Date	Date of death
administration_nf_noc	String	Athlete's administration NF NOC code
compet_for_nf_noc	String	Athlete's Competing for NF NOC code
compet_for_country	String	Athlete's Competing for Country
competitor_host_nf_noc	String	Athlete's Host NF NOC code
competitor_host_nf_country	String	Athlete's Host NF Country
has_photo	Boolean	Uses bio_photo_date field (if not null)
entered_on_show	Boolean	Athlete entered on the show (USAS, UEA)
entered_other_show	Boolean	Athlete entered in other show (USAS, UEA)
entered_other_show_venue_name	String	Venue name of the show where the Athlete is already entered (USAS, UEA)
entered_other_show_event_type_code	String	Event type code of the event where the athlete is already entered (USAS, UEA)
is_favorite_horse	Boolean	True if the current horse is considered as a favorite horse of the athlete from the param "favorite_horses_athlete" (USAS, UEA)

OC API Documentation : 9 - Output objects - version 1.8.20

entered_other_show_entry_status	String	Status of entry athlete where is already entered in another show ('A-ACCEP', 'A-DRAFT', 'A-REJEC', 'A-WAIT', 'A-WITHD')
accepted_other_show_venue_complement	String	Name of the show where the Athlete is already accepted (USAS, UEA)
entered_other_show_venue_complement	String	Name of the show where the Athlete is already entered (USAS, UEA)
has_valid_email	Boolean	True if the athlete has a valid email.

SearchAthlete

Property	Type	Description
athlete_fei_id	Integer	Athlete FEI ID
familyname	String	Family name
firstname	String	First name
gender_code	String	Gender code (M,F)
date_birth	Datetime	Date of birth
date_death	Datetime	Date of death
administration_nf_noc	String	Athlete's Administering NF NOC code
compet_for_country	String	Athlete's Competing for Country
competitor_host_nf_code	String	Athlete's Host NF Country NOC
competitor_host_nf_country	String	Athlete's Host NF Country
has_photo	Boolean	Uses bio_photo_date field (if not null)
is_registered	Boolean	Whether or not the athlete is registered for the selected event.

OC API Documentation : 9 - Output objects - version 1.8.20

is_registered_other_disc	Boolean	true if the athlete is registered for disciplines different from the related event. (Only available when the "Athlete" object comes from a "Event" object)
athlete_gender_allowed	Boolean	Athlete gender is allowed
entered_other_show	Boolean	Athlete entered in other show
entered_on_show	Boolean	Athlete entered on the show
is_qualified	Boolean	Athlete is qualified for event

Horse

Property	Type	Description
horse_fei_id	String	Old registration FEI ID, or FEI ID.
horse_name	String	Horse complete name
horse_gender_code	String	Horse gender code (M,F)
is_castrated	Boolean	Horse is castrated
is_pony	Boolean	Horse is a pony
administration_nf_noc	String	Administering NF NOC code
birth_year	Integer	Year of Birth
date_death	Datetime	Date of death
is_blocked	Boolean	Horse is blocked
blocked_info	String	Info about horse block
last_trainer	Trainer	Trainer of Horse (Endurance)
horse_sex	String	Horse sex (stallion, mare, gelding...)
date_birth	Datetime	Date of birth

OC API Documentation : 9 - Output objects - version 1.8.20

horse_documents	Boolean	Horse's documents are valid (searchEventHorses, userShowHorses, userEventsEntries)
horse_documents_info	String	Information about the missing horse documents (searchEventHorses, userShowHorses, userEventsEntries)
horse_invalid_passport_rc	Boolean	True if the Passport or Recognition Card is invalid (searchEventHorses, userShowHorses, userEventsEntries)
date_birth	Datetime	Date of birth
horse_documents	Boolean	Horse's documents are valid (searchEventHorses, userShowHorses, userEventsEntries)
horse_documents_info	String	Information about the missing horse documents (searchEventHorses, userShowHorses, userEventsEntries)
horse_invalid_passport_rc	Boolean	True if the Passport or Recognition Card is invalid (searchEventHorses, userShowHorses, userEventsEntries)
entered_on_event	Boolean	Horse entered on the event (searchEventHorses)
entered_on_show	Boolean	Horse entered on the show (userShowHorses, searchEventHorses)
entered_other_show	Boolean	Horse entered in other show (searchEventHorses, userShowHorses)
entered_other_show_venue_name	String	Venue name of the show where the horse is already entered (searchEventHorses, userShowHorses)
entered_other_show_event_type_code	String	Event type code of the event where the horse is already entered (searchEventHorses, userShowHorses)
entered_other_show_noc	String	NOC code of the NF that added the horse (searchEventHorses, userShowHorses)
is_favorite_horse	Boolean	True if the current horse is considered as a favorite horse of the athlete from the param "favorite_horses_athlete" (searchEventHorses, userShowHorses)
entered_other_show_entry_status	String	Status of entry horse where is already entered in another show ('H-ACCEP', 'H-DRAFT', 'H-REJEC', 'H-WAIT', 'H-WITHD')

OC API Documentation : 9 - Output objects - version 1.8.20

accepted_other_show_venue_complement	String	Name of the show where the horse is already accepted (searchEventHorses, userShowHorses)
entered_other_show_venue_complement	String	Name of the show where the horse is already entered (searchEventHorses, userShowHorses)

SearchHorse

Property	Type	Description
horse_fei_id	String	Old registration FEI ID, or FEI ID.
horse_name	String	Horse complete name
horse_gender_code	String	Horse gender code (M,F)
is_castrated	Boolean	Horse is castrated
is_pony	Boolean	Horse is a pony
administration_nf_noc	String	Administering NF NOC code
birth_year	Integer	Year of Birth
date_death	Datetime	Date of death
is_blocked	Boolean	Horse is blocked
blocked_info	String	Info about horse block
is_registered	Boolean	Horse is registered for event's discipline
is_registered_other_disc	Boolean	Horse is registered for other discipline
satisfy_age_limit	Boolean	Satisfies event's horse age limitation
is_at_rest	Boolean	Horse is at rest
horse_documents	Boolean	Horse's documents are valid
horse_documents_info	String	Information about the missing horse documents

OC API Documentation : 9 - Output objects - version 1.8.20

horse_invalid_passport_rc	Boolean	True if the Passport or Recognition Card is invalid
horse_sex	String	Horse sex
entered_on_event	Boolean	Horse entered on the event
entered_on_show	Boolean	Horse entered on the show
entered_other_show	Boolean	Horse entered in other show
entered_other_show_venue_name	String	Venue name of the show where the horse is already entered
entered_other_show_event_type_code	String	Event type code of the event where the horse is already entered
entered_other_show_noc	String	NOC code of the NF that added the horse (searchEventHorses, userShowHorses)
is_favorite_horse	Boolean	True if the current horse is considered as a favorite horse of the athlete from the param "favorite_horses_athlete"

Invitation

Property	Type	Description
invitation_uid	Integer	Invitation UID
athlete	"Athlete" object	Related athlete
event	"Event" object	Related event
status	String	Invitation status
is_processing	Boolean	true if the invitation is being processed
ath_max_act_date	Datetime	Athlete: max date to accept/decline invitation
ath_max_undo_date	Datetime	Athlete: date when action is validated (no longer cancelable)

OC API Documentation : 9 - Output objects - version 1.8.20

nf_max_act_date	Datetime	NF: max date to accept/decline invitation
nf_max_undo_date	Datetime	NF: date when action is validated (no longer cancelable)
horse_suggestions	Array of "HorseSuggestion"	Horses and horse slots of the invitation
nb_invitations_before	Integer	Number of invitations before the current invitation
position	Integer	Invitation position
ranking_position	Integer	Athlete Ranking Position
is_og	Boolean	Is from Olympic Games
is_weg	Boolean	Is from World Equestrian Games
type	String	Invitation type, possible values: "ranking", "oc", "oc_minitour", "wildcard".
max_horses_per_athlete	Integer	Limit of horses per athlete
acting_nf	"NF" object	NF which has acted on the invitation
athlete_receive_date	Datetime	The date when the athlete has received his invitation.

ViewInvitation

Property	Type	Description
...	...	All properties from Invitation object
wish_period	String	'athlete' when the period is athlete_selection_period 'nf' when the period is nf_confirmation_week_period
added_as_wish	Boolean	True if the event as been added as wish (choice) in the athlete wishlist
can_be_added_as_wish	String	True if the event allows athlete choices and if the athlete is ranked.

OC API Documentation : 9 - Output objects - version 1.8.20

is_athelte_registered_for_event	Boolean	True if the athlete of the invitation is registered for the event's discipline at event dates.
---------------------------------	---------	--

HorseSuggestion/HorseSlot

Property	Type	Description
is_slot	Boolean	Is the current Horse suggestion a horse slot?
horse	"Horse" object	Related horse
is_register_jumping	Boolean	True if the horse is registered for Jumping discipline for the event.

Country

Property	Type	Description
code_noc	String	Country code
country_name	String	Country name

OC API Documentation : 9 - Output objects - version 1.8.20

Competition

Property	Type	Description
competition_code	String	Competition code
competition_name	String	Competition name
organizer_code	String	Organizer code
competition_date_start	Datetime	Competition date start, if null event date start, if null show date start
prize_money	Float	Prize money
currency_iso_code	String	Currency iso code
currency_iso_alpha	String	Currency alpha code
point_group_code	String	Point group code
rule_code	String	Rule code applied to competition
obstacle_min_height	Float	For Jumping. Obstacle minimum height
obstacle_max_height	Float	For Jumping. Obstacle maximum height

Show

Property	Type	Description
show_code	String	Show code
show_date_start	Datetime	Show date start
show_date_end	Datetime	Show date end
venue_name	String	Venue name
country_noc	String	Country code

OC API Documentation : 9 - Output objects - version 1.8.20

country_name	String	Country name
host_nf_noc	String	Host NF country code
show_type	String	Show type
region	String	Region of the show
tour_code	String	Code for Show Tour
tour_name	String	Name for Show Tour
events	Array of Event	Array of event codes from events of the show. Only event opened for entries are returned.
statistics	ShowStatistic	Contains Show, Event and NF stats for all events.
tour_code	String	The tour code that show belongs
tour_name	String	The tour name that show belongs
venue_complement	String	The name of the show

ShowStatistic

Property	Type	Description
countries	Integer	Number of countries
athletes	Integer	Number of Athletes
horses	Integer	Number of Horses
event_statistics	Array of EventStatistic	Statistics of events
foreign_athletes	Integer	Number of foreign athletes. For OC.
foreign_horses	Integer	Number of foreign horses. For OC.
home_athletes	Integer	Number of home athletes. For OC.

OC API Documentation : 9 - Output objects - version 1.8.20

home_horses	Integer	Number of home horses. For OC.
total_accepted_athletes	Integer	Number of accepted athletes.
total_waiting_athletes	Integer	Number of waiting athletes.
total_accepted_horses	Integer	Number of accepted horses.
total_waiting_horses	Integer	Number of waiting horses.
total_entries	Integer	Number of entries. For OC.
nf_total_athletes	Integer	Number of athletes. Only for current NF.
nf_total_horses	Integer	Number of horses. Only for current NF.
total_athletes	Integer	Total unique athletes on show.
total_horses	Integer	Total unique horses on show.

EventStatistic

Property	Type	Description
countries	String	Number of countries
nf_statistics	Array of NFStatistic	Statistics for NFs. For OC, this includes all NF Stats.
foreign_athletes	Integer	Number of foreign athletes. For OC.
foreign_horses	Integer	Number of foreign horses. For OC.
home_athletes	Integer	Number of home athletes. For OC.
home_horses	Integer	Number of home horses. For OC.
total_accepted_athletes	Integer	Number of accepted athletes.
total_waiting_athletes	Integer	Number of waiting athletes.

OC API Documentation : 9 - Output objects - version 1.8.20

total_entries	Integer	Number of entries. For OC.
event	String	Event code.
total_entries	Integer	Number of entries. For OC.
max_athletes	Integer	Max athletes for event.
max_horses	Integer	Max horses for event.
total_athletes	Integer	Total unique athletes on event.
total_horses	Integer	Total unique horses on event.

OC API Documentation : 9 - Output objects - version 1.8.20

Entry

Property	Type	Description
entry_uid	Integer	Entry unique identifier
entry_athletes	Array of EntryAthlete	Athetes for this Entry
entry_nf	String	NF NOC code of this Entry
user_action_required	Boolean	true if an action is required by the current user

EntryAthlete

Property	Type	Description
entry_athlete_uid	Integer	Entry Athlete unique identifier
athlete	Athlete	Athlete of EntryAthlete
registration_status	String	Registration status
contact_person_name	String	Contact person name
contact_person_quality	String	Contact person quality
contact_person_mobile_phone	String	Contact person mobile phone
contact_person_email	String	Contact person email
nf_comment	String	Comment from NF
reject_comment	String	Rejection comment from OC
sub_reject_comment	String	Rejection comment from OC to NF for Athlete substitution
borrowed_horses	Boolean	Entry Athete is using borrowed horses

OC API Documentation : 9 - Output objects - version 1.8.20

carriage_number	Integer	(Driving) Carriage number
entry_horses	Array of EntryHorses	Entry Horses for this Entry Athlete
actions	Array of EntryAction	Entry Actions
statuses	Array of EntryStatus	Entry Statuses
sub_athlete	Athlete	Substituted Athlete (former athlete)
entered_on_another_show_nf_noc	String	NOC code of entering NF (only for OC user on specific routes)
entered_on_another_show_venue	String	Show venue where the athlete is already accepted (only for OC user on specific routes)
entered_on_another_show_code	String	Show code where the athlete is already accepted (only for OC user on specific routes)
transit_boxes	Array of TransitBox	Transit boxes
box_grouping	String	Box grouping comment
tack_boxes	Integer	Number of tack boxes required
tack_boxes_comment	String	Comment about tack boxes
general_comment	String	General comment
entry_team	EntryTeam	Entry Team
comment_on_ath	String	NF Athlete comment
comment_on_ath_date	DateTime	NF Athlete comment date
entered_on_another_show_venue_complement	String	Name of the show where the Athlete is already entered (userEventsWithEntries,userEventsEntries,userEntries)

EntryHorse

Property	Type	Description
entry_horse_uid	Integer	Entry Horse unique identifier
horse	Horse	Horse
registration_status	String	Registration status
is_registered	Boolean	true if the horse has a registration for event discipline for the year of the event
documents	Boolean	Documents valid for Horse
nf_comment	String	NF comment
reject_comment	String	Rejection comment from OC
sub_reject_comment	String	Rejection comment from OC to NF for Horse substitution
carriage_number	Integer	(Driving) Carriage number
is_slot_available	Boolean	Available Slot to place a valid Horse (by Athlete or NF)
is_horse_subst_by_oc_accepted	Boolean	Horse substitution by OC accepted or not
horse_age_at_event_date_start	Integer	Horse Age at event date start
actions	Array of EntryAction	Entry Horse actions
statuses	Array of EntryStatus	Entry Horse statuses
competitions	Array of String	(Dressage) List of selected Competitions Codes
trainer	Trainer	(Endurance) Trainer of horse
trainer_registration_status	String	Trainer registration status

OC API Documentation : 9 - Output objects - version 1.8.20

default_trainer	Trainer	Default trainer of Horse
default_trainer_registration_status	String	Default trainer registration status
entered_on_another_show_nf_noc	String	NOC code of entering NF on an event where the horse is already accepted (only for OC user on specific routes)
bedding_type_code	String	Bedding type code "STW" (Straw), "SHV"(Shavings), "EMP"(empty)
is_borrowed_horse	Boolean	true if the current entry horse is a borrowed horse
box_type	String	Box type
corner_box	Boolean	Corner box
is_horse_subst_by_oc_accepted	Boolean	true if the substitution by the OC is accepted by the NF
athlete_comment	String	Athlete comment
priority	Integer	Priority
special_horse_code	String	Type of horse for specific events
is_late_entry	Boolean	true if the entry is late (i.e.: entered after the closing event date)

OC API Documentation : 9 - Output objects - version 1.8.20

Trainer

Property	Type	Description
fei_id	Integer	FEI ID of trainer
familyname	String	Family name
firstname	String	First name
gender_code	Boolean	Gender code (M,F)

EntryAction

Property	Type	Description
action_code	String	Action code
enabled	Boolean	Action enabled

EntryStatus

Property	Type	Description
entry_status_code	String	Status code
value	String	'Y' or 'N'

TransitBox

Property	Type	Description
horse_fei_id	String	Horse FEI ID
horse_name	String	Horse name

OC API Documentation : 9 - Output objects - version 1.8.20

EntryTeam

Property	Type	Description
entry_team_uid	Integer	Entry Team unique identifier
entry_team_name	String	Name of Team
veterinarian	String	Name of Veterinarian
chef_equipe	String	Name of Chef D'Equipe
nf_noc	String	The NOC code of the NF.
is_default_team	Boolean	Default team

EntryLog

Property	Type	Description
log_date	Datetime	Log date
entering_nf_noc	String	Entering NF NOC code
period_name	String	Event code received
athlete_fei_id	Integer	Athlete FEI ID
athlete_family_name	String	Athlete family name
athlete_first_name	String	Athlete first name
horse_fei_id	String	Horse FEI ID
horse_name	String	Horse name
action_text	String	Log text
user_name	String	User name (action)
user_fei_id	Integer	User FEI ID (action)
user_act_as	String	User Act As
user_nf_noc	String	User NF NOC code
source_app_name	String	Source App Name (log source)
source_session_user_fei_id	Integer	Source Session User FEI ID
source_sessions_user_name	String	Source Session user name
source_session_user_act_as	String	Source Session user role
show_code	String	Show Code

OC API Documentation : 9 - Output objects - version 1.8.20

event_code	String	Event Code
event_type_code	String	Event Type Code (ex: "CSI2*")
venue_name	String	Show venue name code
is_slot	Boolean	Is entrylog created for a horse slot?

Nf

Property	Type	Description
code_noc	String	NF code NOC
country_name	String	NF Country Name

OC API Documentation : 9 - Output objects - version 1.8.20

Tour

Property	Type	Description
tour_code	String	The unique code of the tour
tour_name	String	The tour name
shows	Array<TourShow>	Array of the show that belong to the tour

Subtour

Property	Type	Description
sub_tour_uid	String	The unique identifier of the subtour
nb_max_athletes_is	Integer	The maximum athletes allowed by Invitation System
nb_wildcards	Array<TourShow>	The maximum athletes allowed by FEI wildcards
sub_tour_name	String	The subtour name
events	Array<SubtourEvent >	The array of the event that belong to the subtour

TourShow

Property	Type	Description
show_code	String	The unique code of the tour
show_date_start	String	The tour name
show_date_end	Array<TourShow>	Array of the show that belong to the tour
venue_name	String	The name of the venue
host_nf_noc	String	The NOC code of the host NF
tour_code	String	The unique code of the tour
tour_name	String	The tour name

Entry Statuses

Status starting with A-XXXX refers to an Athlete status.

Status starting with H-XXXX refers to a Horse status.

Main status is listed with "(main)".

Athlete and horse can only have **one** main status at a time

Additional status is listed with "(additional)".

ENTRY STATUS CODE	ENTRY STATUS NAME
A-DRAFT	Draft (main)
H-DRAFT	Draft (main)
A-ACCEP	Accepted (main)
H-ACCEP	Accepted (main)
A-REJEC	Rejected (main)
H-REJEC	Rejected (main)
A-WITHD	Withdrawn (main)
H-WITHD	Withdrawn (main)
A-SUBTO	Deprecated. Please use A-SUB-REQ.
H-SUBTO	Deprecated. Please use H-SUB-REQ.
A-SUBST	Substituted (additional)
H-SUBST	Substituted (additional)
A-NOTQLF	Not qualified (additional)
H-NOTQLF	Not qualified (additional)
H-REST	At rest (additional)
A-NOSHOW	Athlete no show (additional)
H-NOSHOW	Horse no show (additional)
A-SUB-REQ	Athlete substitution requested (additional)
H-SUB-REQ	Horse substitution requested
A-SUB-REJ	Athlete substitution rejected (additional)
H-SUB-REJ	Horse substitution rejected (additional)

OC API Documentation : 9 - Output objects - version 1.8.20

A-WAIT	Athlete waiting (pending OC action) (main)
H-WAIT	Horse waiting (pending OC action) (main)
A-INV-PR	Athlete Invitation Participation Request (additional)
A-QO-RKG	Ranking Quota (additional)
A-QO-OC	OC Quota (additional)
A-QO-OCM	OC additional Quota (small tour athletes for example) (additional)
A-QO-HOM	Home NF Quota (additional)
A-QO-WC	Wildcard Quota (additional)
H-SWAP	Horse Swapped (Not used for now)
H-ADD-LA	Horse late entry (additional)
A-ADD-LA	Athlete late entry (additional)
A-INV-PP	Athlete OC Participation Proposition (additional)

Entry Actions

Entry actions reflect the possible actions allowed for at least one actor of the Entry System.

Action starting with A-XXXX refers to an Athlete action.

Action starting with H-XXXX refers to a Horse action.

These actions are only informative. The Entry System 3 actions accepted are listed in the “ActionList” item from the “Entries” Documentation (#7)

The Entry System sometimes automatically triggers the *equivalent action* for Athlete or Horse.

Ex : main action on Athlete can trigger the Horse Action on horses if needed by the Entry System; main action on Horse can trigger the Athlete action if needed by the Entry System.

ACTION CODE	LABEL	Equivalent Action for Athlete or Horse	Actor allowed
A-DISQLF	Disqualify Athlete	Disqualify Horse	System
H-DISQLF	Disqualify Horse	Disqualify Athlete	System
H-REST	Disqualify Horse at rest	Disqualify Athlete	System
A-ACC-NOS	No Show Athlete Status		OC
A-REJ-NOS	Restore Athlete Status (remove No Show)		OC
A-ADD-DR	Add Athlete on Draft List	Add Horse on Draft List	NF
H-ADD-DR	Add Horse on Draft List		NF
A-MKE-AC	Enter Athlete (by host NF) (Show or Event)	Enter Horse (by host NF) (Show or Event)	System
H-MKE-AC	Enter Horse (by host NF) (Show or Event)	Enter Athlete (by host NF) (Show or Event)	System
A-MKE-WA	Enter Athlete	Enter Horse	NF
H-MKE-WA	Enter Horse	Enter Athlete	NF
A-ADD-AC	Accept Athlete from Draft List	Accept Horse from Draft List	System
H-ADD-AC	Accept Horse from Draft List	Accept Athlete from Draft List	System
A-ADD-WA	Submit athlete entry	Submit horse entry (Participation Request if event is IS)	NF
H-ADD-WA	Submit horse entry (Participation Request if event is IS)	Submit athlete entry	NF
A-ACCEPT	Accept Athlete	Accept Horse by OC	OC
H-ACCEPT	Accept Horse	Accept Athlete by OC	OC
A-WTD-RE	Withdraw Athlete	Withdraw Horse	NF
H-WTD-RE	Withdraw Horse	Withdraw Athlete	NF

OC API Documentation : 9 - Output objects - version 1.8.20

A-DEL-DR	Delete Draft Athlete	<i>Delete Draft Horse</i>	NF
H-DEL-DR	Delete Draft Horse		NF
A-ADD-DR-S	Add Athlete on Draft List (on Show)	<i>Add Horse on Draft List (on Show)</i>	NF
H-ADD-DR-S	Add Horse on Draft List (on Show)		NF
H-ACC-NOS	Add No Show Status on Horse		OC
H-REJ-NOS	Remove No Show Status on Horse		OC
H-SWAP	Horse Swap		NF
A-ADD-WA-S	Enter Athlete (from Show)	<i>Enter Horse (from Show)</i>	NF
H-ADD-WA-S	Enter Horse (from Show)	<i>Enter Athlete (from Show)</i>	NF
H-CAN-SU	Cancel Horse Substitution		OC
A-CAN-SU	Cancel Athlete Substitution		OC
A-REJ-WA	Reject Athlete	<i>Reject Horse</i>	OC
H-REJ-WA	Reject Horse	<i>Reject Athlete</i>	OC
A-REQ-SU	Request Athlete Substitution		NF/OC
H-REQ-SU	Request Horse Substitution		NF/OC
A-ACC-SU	Accept Athlete Substitution		OC
H-ACC-SU	Accept Horse Substitution		OC
A-REJ-SU	Reject Athlete Substitution		OC
H-REJ-SU	Reject Horse Substitution		OC
A-CRJ-SU	Cancel rejection of Athlete Substitution		OC
H-CRJ-SU	Cancel rejection of Horse Substitution		OC
A-SUBST	Substitute Athlete by OC		System
H-SUBST	Substitute Horse by OC		System
A-CRJ-WA	Cancel Rejection of Athlete	<i>Cancel Rejection of Horse</i>	OC
H-CRJ-WA	Cancel Rejection of Horse	<i>Cancel Rejection of Athlete</i>	OC